



TRUCK & AUTO PARTS
Since 1983

MARINE & PERFORMANCE DIVISION

Comprehensive
Catalog



SAP-CMHPD03

sapcorp.net

OTHER PRODUCTS WE OFFER

LD

LIGHT DUTY DIVISION

HD

HEAVY DUTY DIVISION



TRUCK & AUTO PARTS
Since 1983

HEAVY DUTY TRUCK & TRAILER DIVISION

- Air Brake Components
- Air Brake Tubing & Hoses
- Brake Drums
- Brake Shoes
- Automotive Clutches
- Heavy Duty Clutches
- Sensors & Switches
- RTV Silicone
- Trailer Components
- Wheel Oil Seals & Hubcaps

FUEL PUMP DIVISION

- Fuel Pumps
- Filters
- Modules

HYDRAULIC CLUTCH DIVISION

- Actuators
- Master & Slave Cylinders



SUSPENSION & STEERING DIVISION

- Air Springs
- King Bolt Sets
- Power Steering Pumps
- Shock Absorbers
- Suspension Bushings
- Tie Rod Ends



DRIVELINE DIVISION

- Universal Joints
- Center Support Bearings



ELECTRICAL DIVISION

- Alternators
- Ignition Coils
- Starters
- Component Parts
- Electrical Tape



COOLING DIVISION

- Water Pumps
- Antifreeze & Coolant

For more information about our products contact us at:

+1 305 594 2844 | info@sapcorp.net | www.sapcorp.net

High Performance..... 4

Fuel Pumps.....	4
Fuel Pumps Kits.....	7
Fuel Pumps Filters.....	9
Fuel Regulators.....	9
Controller.....	10
Injectors Extension.....	10
Fuel Injectors.....	11
Sensors.....	12

Marine Fuel Pumps..... 13

Marine Fuel Pumps.....	14
Marine Fuel Pumps Filters.....	20

TRUCK & AUTO PARTS
Since 1983

FUEL PUMPS

BOSCH



0580254040

Type: In-Tank
Flow: 210 LPH
PSI: 175/190
Voltage: 12V
Application: Audi Driffting



0580254044

Type: In-Line
Flow: 300 LPH
PSI: 180 Max.
Voltage: 12V
Application: Universal
Fits Most vehicles



0580254910

Type: In-Line
Flow: 190 LPH
PSI: 90/100
Voltage: 12V
Application: Audi, Mercedes Benz



0580254979

Type: Out-Tank Fuel Injection Pump
Flow: 210 LPH
PSI: 150/170
Voltage: 12V
Application: Chrysler, Porsche



0580254984

Type: In-Line
Flow: 255 LPH
PSI: 160/180
Voltage: 12V
Application: BMW, Mercedes Benz

MAGNA FUEL



MP4303

Type: In-Line / ProTuner 750 Series
HP: 2000+
PSI: 20/120
Ports : -8AN Inlet, -8AN Outlet
Amps@12.5V: 14A@45psi
Application: Ideal for Street
Muscle Cars



MP4703

Type: Fuel Swiveling Electric Gear
ProStar EFI 750
HP: 2500+
PSI: 20/120
Ports : -10AN Inlet, -10AN Outlet
Amps@12.5V: 17A@45psi
Application: Universal
Fits Most Vehicles

FUEL PUMPS

SAP USA



SAP-G50044HP

Type: In-Line
Flow: 400 LPH
PSI: 180 Max.
Voltage: 12V
Application: Universal - Fits Most Vehicles
(Superseded 0580254044S)

Replaces
Bosch 0580254044



SAP-G50340HP

Type: In-Tank
HP: 500+
Flow: 255 LPH
PSI: 35-85
Minimum Voltage: 12V
Application: Universal
(Superseded SAP340)

Replaces
Walbro GSS340



SAP-G50341HP

Type: In-Tank
HP: 500+
Flow: 255 LPH
PSI: 130 Max.
Voltage: 12V
Application: Universal
(Superseded SAP341)

Replaces
Walbro GSS341



SAP-G50342HP

Type: In-Tank
HP: 500+
Flow: 255 LPH
PSI: 180 Max.
Voltage: 12V
Application: Universal
(Superseded SAP342)

Replaces
Walbro GSS342

WALBRO



F90000262

Type: High Pressure / In-Tank - E85
HP: 500+
Flow: 400 LPH
PSI: 40 Max.
Fuel: Gas
Application: Universal



F90000267

Type: High Pressure / In-Tank - E85
HP: 750+
Flow: 450 LPH
Fuel: Flex
Application: Universal



F90000274

Type: High Pressure / In-Tank - E85
HP: 750+
Flow: 450 LPH
PSI: 112 Max.
Fuel: Flex



F90000285

Type: High Pressure Hellcat / In-Tank
Brushed
HP: 900+ @ 60 PSI
Flow: 470 LPH @ 40 PSI
Fuel: Gas & E85 Ethanol
Application: Universal

FUEL PUMPS

WALBRO



GSL392

Type: High Pressure / In-Line
HP: 650+
Flow: 255 LPH
PSI: 60 Max.
Application: Fits Most EFI applications
(including turbo and supercharged.)



GSL393

Type: Universal Inline - External
HP: Up to 405 HP
Flow: 155 LPH
PSI: 25 to 120



GSS340

Type: High Pressure / In-Tank
HP: 500+
Flow: 255 LPH
PSI: 15/90
Application: Acura, Chrysler,
Ford, Honda



GSS341

Type: High Pressure / In-Tank
HP: 500+
Flow: 255 LPH
PSI: 15/90
Application: Universal



GSS342

Type: High Pressure / In-Tank
HP: 500+
Flow: 255 LPH
PSI: 15/90
Application: Universal

WELDON



1100A

HP: 1100 HP Inj / 1300 HP Carb
Flow: 135 GPH
PSI: 0-95

FEATURES

- Requires appropriate bypass regulator, a -8 return lines is recommended
- 100 micro on Inlet and 10 micro on Outlet
- -10 Inlet and -10 Outlet leak free O-ring ports
- 2 rubber insulated stainless steel T-bolt style clamps included
- Billet end caps with No-Leak seals
- Pump can be mounted above fuel tank • Vertical and Horizontal mount

FUEL PUMPS

WELDON



2345A

HP: 2000 hp @ 14 VDC EFI (1000 hp on Methanol)
2400 hp @ 16.5 VDC EFI (1200 hp on Methanol)
Flow: 220-250 GPH
PSI: 0-80

FEATURES

- Requires appropriate bypass regulator, a -6, -8 and -10 line, at minimum is recommended.
- 40 micro on Inlet and 10 micro on Outlet
- -12 Inlet and -10 Outlet leak free O-ring ports
- Billet aluminium body
- Pump can be mounted above fuel tank • Vertical and Horizontal mount

FUEL PUMP KITS

SAP USA



SAP-CS04

Description: Connector for E2068 - 15"
Application: Fits GSS340, GSS341, GSS342



SAP-KIT267

Description: Fuel Pump Kit for Walbro F90000267 E85 Hose



SAP-KIT285

Description: Fuel Pump Kit for Walbro F90000285

Replaces
Walbro 400-0085

WALBRO



400-0085

Description: Fuel Pump Kit for Walbro F90000285



400-939

Walbro Fuel Pump Kit
Description: Complete with Wiring (when applicable), Grommets, Washed, and Filter For GSL392

FUEL PUMP KITS

WALBRO



94-696

Walbro Wiring Harness
For F90000262

WELDON



KC20152535

Weldon Brake Away Coupling Kit
Application: Fits D2015-A, D2025-A,
2345-A, D2035-A, DB2015-A, D2025-A,
B2311-A



TC250100

Weldon Band Clamp
Description: Can be used to sup-
port 2.50" Dia. Pumps & Billet fuel
filters, 1" Wide Stainless Steel

FUEL PUMPS FILTERS

MAGNA FUEL



MP7006

Magna Fuel Fuel Filter
Filter Size: 150-Micron In Line Pre Filter
Dimensions: 6-1/2" x 2-1/2" Diameter.
Ports: -12AN Inlet/Outlet
Fuel: Gasoline Only

SAP USA



SAP-F021

Walbro Fuel Filter
Application: Fits GSS340



SAP-F061

Fuel Filter
Application: Fits GSS341, GSS342,
F90000262, F90000267

FUEL PUMPS FILTERS

WALBRO

**125-190**

Walbro Fuel Filter
Application: Fits F90000262,
F90000267

WELDON

**FEATURES**

- 100 micron stainless steel filter for use before the 600-A and other manufactures fuel pump
- 40 micron paper cellulose filter for use before Weldon Billet and Cast Bodied pumps
- 10 Micron paper cellulose filter for use after all fuel pumps
- Over 60 sq. in. of filtering area
- -12 AN O-ring ports, 10 AN O-ring Ports, 8 AN O-ring ports
- Radiused end caps to improve fuel flow within filter
- Compact size - 5.5" Long x 2.38" Diam.
- Black/Gold bright dipped anodized for a longlasting high performance finish
- Replaceable filter elements available!

PART No	DESCRIPTION
WEQ10100SSN	Billet Fuel Filter - 100 Micron filter with 12 AN O-ring ports
WEQ1010CLN	Billet Fuel Filter - 10 Micron filter with 12 AN O-ring ports
WEQ1040CLN	Billet Fuel Filter - 40 Micron filter with 12 AN O-ring ports
WEQ12100SSN	Billet Fuel Filter - 100 Micron filter with 12 AN O-ring ports
WEQ1240CLN	Billet Fuel Filter - 40 Micron filter with 12 AN O-ring ports

FUEL REGULATORS

MAGNA FUEL

**MP9925B**

Magna Fuel 2-Port Regulator w/ 1:1
Boost Reference EFI
HP: 700
PSI: 35-85
Ports: 2 x -8 AN, 1 x -6 AN Return

FUEL REGULATORS

WELDON



A2040281A120

Weldon Fuel Injected (up to 120 PSI)
Bypass Regulator
Size of Return Orifice 0.281"



A2047438T120

Weldon High Flow
Bypass Regulator Bypass
Size of Return Orifice 0.438"

CONTROLLER

WELDON



14000

Fuel Pump Controller
Description: Controls pump speed
with PWM, pulse width modulation,
@ over 12,000 Hz

DETAILS

- Adjust the volume of fuel flowing through the system while maintaining preset fuel pressure

INJECTORS EXTENSIONS



IE-14S

Injector Extension w/Seal



IE-LOW

Injector Extension w/Clip, Filter, & Seal

FUEL INJECTORS

PART No	DESCRIPTION	IMPEDANCE	LBS	FLOW	CONNECTOR TYPE	FEED
01D134B	Tricky Flow	Low	120	1200 CC	Minitimer (Bosch EV1/LS1)	Top
01D164B	Injector Z Fuel Injector	Low	160	1650 CC	Minitimer (Bosch EV1/LS1)	Top
FI114212	Siemens Deka Long Body	Low	212	2250 CC	Minitimer (Bosch EV1/LS1)	Top
FI114961	Siemens Deka Long Body	High	65	650 CC	Minitimer (Bosch EV1/LS1)	Top
FI114962	Siemens High-Z Fuel Injector SB	High	65	630 CC	Minitimer (Bosch EV1)	Top
FI114992	Siemens Deka	High	80	800 CC	Minitimer (Bosch EV1/LS1)	Top
0280158040	Bosch	High	110	1100 CC	Minitimer (Bosch EV1/Jetronic)	Top
0280158233	Bosch			285 CC		
0280158821	Bosch Sumitomo Pigtail	High	210	2200 CC	Denso (Sumitomo)	Top
0280158827	Bosch Sumitomo Pigtail	Low	160	1700 CC	Minitimer (Bosch EV1/LS1)	Top
0280158842	Bosch CNG Natural Gas				Minitimer (Bosch EV1/Jetronic)	

				
01D134B	01D164B	FI114212	FI114961	FI114962
				
FI114992	0280158040	0280158233	0280158821	0280158827
PHOTO NOT AVAILABLE				
0280158842				

The numbers used for cross reference and the photos provided are for informational purposes only. All brands and references listed in the catalog belong to the respective companies.

SENSORS

PART No	DESCRIPTION	O2/MAP
PS10081	Delphi/Wells 3Bar GM	Map
5BAR	Made In The U.S.A In 5Bar	Map
0258007057	Bosch 5 Wire Oxygen Sensor	O2
0261230145	Bosch Intake Manifold Air Pressure and Temperature Sensor	Map
0261545030	Bosch Pressure Sensor Fluid PSS-260 and Temperature Sensor	



PS10081



5BAR



0258007057



0261230145



0261545030

MARINE FUEL PUMPS



TRUCK & AUTO PARTS
Since 1983

CRUSADER MARINE



MFP7001
M.P.I Engines
Replaces OEM
Crusader 47039



MFP7002
305 (5.0L), 350 (5.7L) 1986-1991
327 (5.3L) 1984
Replaces
M60501



MFP7003
All Models; 454 (7.4L) 84-91
Replaces OEM
Crusader 97843
Replaces
M60502

KAWASAKI JET SKI



MFP3001
JT1100-F1 1100 STX D.I 2001
Replaces OEM
Kawasaki 49040-3711



MFP3002
STX 12F, 15F SERIES 2005-2012
Replaces OEM
Kawasaki 49040-3718

MERCRUISER MARINE



MFP2004
454 (7.4L), 502 (8.2L) 1992-1993
Replaces OEM
Mercury Marine 818383T, 861677T
Replaces
M60932
18-8860



MFP2005
262 (4.3L) V6 1992-1995
Fuel Injected & Carb
Replaces OEM
805656A2
Replaces
Mercruiser 805656A2, 805656A1

MERCURY MARINE

**MFP2006**

305 (5.0L), 350 (5.7L) 1988-1993
350MAG, 350MAG-1
MC200/230/260, M898/228/260,
MC228-1, MC5.7L-1, MC898/198,
MIE230/260, MIE230/260-1

Replaces OEM

Mercury Marine 97401A2, 97401A8;
Mercury Marine 861678A1; OMC 509404

Replaces
M61073

**MFP2007**

454 (7.4L) 1989-1991 MC3301, MC370-
460, MC3701, MC420, MC454-Bravo,
MC(7.4L)Bravo, MIE340, 454MAG

Replaces OEM

Mercury Marine 862048A1,
812454A1 Sierra 18-7288-1

Replaces
M60601, 9-35426

**MFP2008**

150-175-200 EFI 1992-1997

Replaces OEM

Mercury Marine 14307A1, 14307T01,
14307T, 14307-1, 14307T1

Replaces
F00E191662

**MFP2009**

DX150, LX150, PX150, SX150, VX150,
LX200, SX200, V200, VX200,
LX225, SX225, VX225, V225,
LX250, SX250 (1999-2001)

Replaces OEM

Mercury Marine 809088T-1

Replaces
Mercury Marine 808505T, 827682T

**MFP2010**

115-120-125-135-150-175-200
HP DFI SportJet 200 DFI

Replaces OEM
855427A1

**MFP2011**

115, 135, 150, 175, 200, 250 HP DFI 2.5

Replaces OEM

Mercury Marine 855843-2

Replaces
8M0047624

**MFP2012**

262 (4.3L) 1998
305 (5.0L) 1998-2001
350 (5.7L) 1998-2001
4.3L Mercury Marine 1992-1993-1996

Replaces OEM

Mercury Marine 861155-2
861155A6

Replaces
Mercury Marine 861155A3, 935432

**MFP2013**

305(5.0L), 350(5.7L), 377(6.2L) 2000
4.3L, 454 (7.4L) 1998-2000
454 (7.4L) 1998-2000
502 (8.2L) 1998-1999

Replaces OEM

Mercury Marine 861156-1

Replaces
Mercury Marine 861156A1, 935433

**MFP2014**

305, 350, 377, 496 (5.0L)(5.7L)
(6.2L) (8.1L)(8.2L) Engines w/
Gen III Cool Fuel Module

Replaces OEM
866169T01

Replaces
866169A01

**MFP2015**

(5.0L)(5.7L)(6.2L)(8.1L)(8.2L)
w/ Fuel Module 1994-UP

Replaces OEM
866170A01

MERCURY MARINE



MFP2016

75-80-90-100-115 EFI 4-Stroke
135-150-175 Verado 4-Stroke 4Cyl
200-225-250-275-300
Verado 4-Stroke 6 Cyl
300 Verado CCT 4-Stroke 6Cyl
300 Verado JPO 4-Stroke 6Cyl
350S CI Verado
250, 300 PRO Verado 4-Stroke 6Cyl

Replaces OEM
Mercury Marine 880596T55



MFP2017

75-80-90-105-110-115 EFI 4-Stroke
Verado 135-300 4 & 6 Cyl 2005-2011

Replaces OEM
Mercury Marine 880596T58



MFP2018

2001-2006 115 HP EFI 4-Stroke
Mercury Outboards

Replaces OEM
880889T

Replaces
880889T01



MFP2019

150-175-200-225-250-275-300 HP
EFI 06 & down - SportJet 240 EFI

Replaces OEM
881705T1

Replaces
881705A1



MFP2020

100-200 EFI 4-Stroke 2003-2013

Replaces OEM
Mercury Marine 888246T01



MFP2021

30-40 EFI 4-Stroke 3 Cyl, 40-50-60
EFI 4-Stroke 4Cyl 2002-2006

Replaces OEM
Mercury Marine 883202T02

Replaces
Mercury Marine 883202A02



MFP2022

Mercury 4 Stroke 200, 225 & 250
HP Outboards 2001-2005

Replaces OEM
888251T02

MERCURY OPTIMAX



MFP2023

75-300 HP DFI Optimax 2003-2014

Replaces OEM
888725T02



MFP2024

75-80-90-115-125-200-225-250-
300 HP DFI 2003-2010

Replaces OEM
Mercury Marine 888733T02

Replaces
Mercury Marine 888733T1

OUTBOARD MARINE CORPORATION



MFP4001

OMC 1998 Cobra 2V 4V & TBI Models

Replaces OEM
OMC 3857986



MFP8001

302 (5.0L), 351 (5.8L) 1993-1994,
454 (7.4L), 502 (8.2L) 1992-1994

Replaces OEM
Volvo 3854062

Replaces
E8263

PANTHER MARINE



MFP2006

M350, MP350

Replaces OEM
Mercruiser 97401A2 97401A8;
Mercury Marine 861678A1; OMC 509404

PLEASURECRAFT



MFP4002

302 (5.0L), 351 W (5.8L) 1984-1993

Replaces OEM
OMC 987024, 3854053

Replaces
M60389

SUZUKI



MFP5001

DF115, DF115TL, DF140, DF140LT,
DF140T, DF140Z, DF70A, DF80A,
DF90, DF90A, DF90TL 2001-2010

Replaces OEM
15200-90J00



MFP5002

DF 40-70 HP, HL, QH, TL, THL 1998-2009

Replaces OEM
15200-87J10

SUZUKI

	MFP5003 DF 90-175 HP 2006-2014 Replaces OEM 15200-96J00
---	--

UNIVERSAL MARINE

	MFP6001 Universal Applications
--	---

VOLVO PENTA

	MFP8001 302 (5.0L), 351 (5.8L) 1993-1994, 454 (7.4L), 502 (8.2L) 1992-1994, 262 (4.3L) 1992-1993, 302 (5.0L), 351 (5.8L) 1994, 454 (7.4L) 1992-1993, 454 (7.4L), 502 (8.2L) 1994 Replaces OEM Volvo 3854062 Replaces E8263
---	---

	MFP8002 V6 V8 Fuel Injected & Carb 4.3L V6 1992-1995 Replaces OEM Volvo Penta 3858261
--	--

YAMAHA

	MFP1001 FX-FX1000 2005-07, FX, FX HO 2004-08 FX140 2002-2004, FX140 Cruiser 2003 VX110 Cruiser Deluxe 2011-2013, GP1300R 2003-2008, VX110 2007-2008 VX Cruiser 2007-2010, VX110 Deluxe 2005-2010, XV110 Sport 2005-2013 Replaces OEM 60E-13907-00
---	--

	MFP1002 200-300HP HPDI 2005-2012 Replaces OEM 60V-13907-03 Replaces 60V-13907-02, 60V-13907-01, 60V-13907-00
--	---

YAMAHA

	MFP1003 F150 Yamaha 2006-2014 Replaces OEM 63P-13907-03 Replaces 63P-13907-00, 63P-13907-01, 63P-13907-02
	MFP1005 DX150, LX150, PX150, SX150, VX150, LX200, SX200, V200, VX200, LX225, SX225, VX225, V225, LX250, SX250 1999-2001 Replaces OEM 66K-13907-00-00 Replaces 66K-13907-00-00, 67H-13907-00-00
	MFP1007 F115TLR & F115TXR 2000-2011 Replaces OEM 68V-13907-03 Replaces 68V-13907-02, 68V-13907-01, 68V-13907-00
	MFP1009 200HP, 225HP, 250HP 2002-2010 Replaces OEM 69J-24410-02 Replaces 69J-24410-00
	MFP1012 F/LF/VF 200-350 HP 2011-2013 Replaces OEM 6CB-24410-00
	MFP1004 200-250 EFI 1997-1999 Replaces OEM 65L-13907-00-00
	MFP1006 150HP, 175HP, 200HP HDPI 2000-2012 Replaces OEM 68F-13907-00
	MFP1008 F200 & F225 2002-2009 Replaces OEM 69J-13907-02 Replaces 69J-13907-00
	MFP1010 F115 2000-2011 Replaces OEM 6AW-13907-03 Replaces 6AW-13907-02, 6AW-13907-01, 6AW-13907-00
	MFP1014 F200 & F250 2005-2012 Replaces OEM 6P2-13907-00

MERCURY FILTERS

	MFF2026 Fuel Strainer Replaces OEM 808504T1
---	---

YAMAHA FILTERS

	MFF1016 200-250 EFI (1997-1998) Replaces OEM 65L-13915-00-00
---	--

	MFF1017 150-250 EFI (1999-2005) Replaces OEM 66K-13915-00-00
--	--

	MFF1018 150-300 EFI (2000-2006) Replaces OEM 68F-13915-00-00
---	--

NOTES

[illegible]

LIMITED WARRANTY

All products are warranted to be manufactured free from defects in materials and workmanship provided they are properly installed in the vehicles for which they are intended. This warranty is void for items disassembled or tampered in any manner. THIS WARRANTY DOES NOT COVER ANY FAILURE DUE TO ACCIDENT, ABUSE, NEGLIGENCE OR AS A RESULT OF NORMAL WEAR AND TEAR.

SAP USA coverage will extend a full 12 months (Unlimited Mileage) from the date of installation.

Under the terms of this warranty, the manufacturer shall have the option of repairing or replacing a defective product. This product must be promptly sent to the manufacturer along with proof of purchase.

The sole responsibility of the manufacturer pursuant to the terms of this warranty, if any, shall be the repair or replacement of defective products as indicated above. THE LIABILITY OF THE MANUFACTURER SHALL IN NO EVENT EXCEED THE ORIGINAL PURCHASE PRICE, AND THE MANUFACTURER SHALL NOT BE RESPONSIBLE FOR ANY CONSEQUENTIAL DAMAGES, FOR PERSONAL INJURIES, OR DAMAGES TO PROPERTY. THIS STATEMENT CONSTITUTES THE EXCLUSIVE EXPRESSION OF WARRANTIES BY THE MANUFACTURER AND IS IN LIEU OF ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, NO MODIFICATIONS OF THIS WARRANTY ARE AUTHORIZED. THERE ARE NO PROMISES, TERMS, CONDITIONS, OR WARRANTIES OTHER THAN THOSE CONTAINED HEREIN.

Some states do not allow the exclusion or limitation of incidental or consequential damages, and some states do not allow limitations on how long an implied warranty lasts, so the above exclusion or limitations may not apply to you. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

OUR EXCLUSIVE BRANDS



OTHER BRANDS WE OFFER

*Territorial Restrictions Apply





TRUCK & AUTO PARTS
Since 1983

sapcorp.net

5301 NW 74th Ave Miami, Florida 33166 USA
Phone: +1 305 594 2844 | Fax: +1 305 599 2351
Email: info@sapcorp.net

BULL USA, BUFFALO USA, GAMMA USA, & T&J NEW PUMPS are divisions of SAP USA Truck & Auto Parts®

Catalog SAP-CMHPD03 (Supersedes Catalog SAP-CMHPD02)